




**FEATURES**


- Miniature size
- Wide capacitance, TC, voltage and tolerance range
- Industry standard sizes
- 8 mm and 12mm Tape & Reel for auto-placement
- Available for wave, reflow or vapor phase order

**HOW TO ORDER**


<b>0805</b>	<b>CG</b>	<b>4</b>	<b>102</b>	<b>J</b>	<b>500</b>	<b>N</b>	<b>T</b>
Size code inches	Dielectric	Total Ch.	Nominal (PF) Capacitance	Tolerance	Rated Voltage	Termination	Packaging Style
0402 0.04 x 0.02	CG	CG	102 10 x 10 <sup>2</sup>	B $\pm 0.1\text{PF}$	160 16 x 10 <sup>0</sup>	S Silver	No Mark Bulk
0603 0.06 x 0.03	COG		103 10 x 10 <sup>3</sup>	C $\pm 0.25\text{PF}$	250 25 x 10 <sup>0</sup>	N Nickel Barrier	T Tape & Reel
0805 0.08 x 0.05	NPO			D $\pm 0.5\text{PF}$	500 50 x 10 <sup>0</sup>		
1206 0.12 x 0.06				F $\pm 1.0\%$	630 63 x 10 <sup>0</sup>		
1210 0.12 x 0.10				G $\pm 2.0\%$	101 10 x 10 <sup>1</sup>		
1812 0.18 x 0.12				J $\pm 5.0\%$	201 20 x 10 <sup>1</sup>		
2225 0.22 x 0.25				K $\pm 10\%$	501 50 x 10 <sup>1</sup>		
3035 0.30 x 0.35				M $\pm 20\%$	102 10 x 10 <sup>2</sup>		
				S $+50-20\%$	202 20 x 20 <sup>2</sup>		

**TERMINATION DIAGRAMS**


NOTE: Other Termination Available Upon Request (Contact Factory)

**TYPICAL CHARACTERISTICS**

Temperature (°C)



D. C. Volts



Frequency

## NPO (COG) Dielectric Characteristic Introduction &amp; Test Method



ITEM	SPECIFICATION		TEST METHOD			
CAPACITANCE	(0.5PF ~ 0.1uF)		C<=1000PF : 1MHz $\pm$ 10% 0.5 to 5Vrms C>1000PF : 1KHz $\pm$ 10% 1.0 $\pm$ 0.2Vrms			
Capacitance Tolerance	$B = \pm 0.1\text{PF}$ $C = \pm 0.25\text{PF}$ $D = \pm 0.5\text{PF}$ $F = \pm 1.0\%$ , $G = \pm 2.0\%$ $J = \pm 5.0\%$ , $K = \pm 10\%$ $M = \pm 20\%$ B.C.D for $C < 10\text{pf}$		C<=1000PF : 1MHz $\pm$ 10% 0.5 to 5Vrms C>1000PF : 1KHz $\pm$ 10% 1.0 $\pm$ 0.2Vrms			
Rated Voltage	16, 25, 50, 63, 100, 200, 500, 1000, 2000VDC					
Dissipation Factor (DF)	$C \geq 50\text{PF} : DF < 0.15\%$ $C < 50\text{PF} : DF \leq 15(150/C + 7) \times 10^{-4}$					
Insulation Resistance (IR)	$C < 10\text{nF} : R > 1000$ : $C > 10\text{nF} : R \times C > 1000\text{S}$		Test Voltage: rating voltage , Charging time: 1min. Temperature : 18 ~ 25°C , Humidity: <80°C			
Dielectric Withstanding Voltage	There shall be no evidence of damage or flash over during the test.		Apply 2.5 x rating voltage to both Terminations for 5 seconds. Charge and discharge current are less than 50mA.			
Termination Adhesion	There shall be no evidence of damage during the test		Test Condition : 5N; $10 \pm 1\text{s}$			
Bending Strength	There shall be no evidence of damage during the test, Capacitance tolerance shall be not more than 10%		After soldering capacitor on the PCB, 1mm of bending shall be applied for 1 second as shown by Drawing			
Solderability	Termination area shall be at least 80% covered with a new solder coating. There shall be no crack and ceramic exposure of terminated surface by melting		The capacitors are completely immersed during 2 in the molten rosin, Then immersed 10MM during $2 \pm 1\text{s}$ in the molten solder with a temperature of $235 \pm 5^\circ\text{C}$ . Pick up The capacitors-and cleaned with solvent, and put in on the >10 times microscope			
Resistance to Soldering Heat	Type	NPO (COG)				
	Temp.	$265 \pm 5^\circ\text{C}$				
	Time	$5 \pm 1\text{s}$				
	Cover %	$\geq 75\%$				
	C/C	$\leq 5\%$				
Temperature Cycling	Type	NPO	Condition	NPO (COG)		
	C/C	$\leq 1\%$	Temp. 0a	$-55 \pm 3^\circ\text{C}$		
			Temp. 0b	$+125 \pm 3^\circ\text{C}$		
	There shall be no evidence of damage during the test			5 times 30min / time		
				Resume time		
				24 hours		
				Changing times		
				2 ~ 3min.		
Humidity Moisture Resistance	Type	NPO (COG)				
	C/C	$\leq 2\%$				
	D , F	0.003				
	I , R	$R \times C > 25\text{s}$				
	There shall be no evidence of damage during the test.					
T.C. Characteristics	Dielectric	C/C	Dielectric	T.C.		
	NPO (CG)	$\pm 30\text{ppm}/^\circ\text{C}$	NPO (COG)	+20°C to 55°C +20°C to +125°C		
Operating Temperature Range	-55 °C to +125 °C					
Vibration Bump	There shall be no	Vibration frequency: $f = 10 \sim 500\text{Hz}$				
	Type	NPO (CG)				
	C/C					
	There shall be no evidence of damage during the test					
Life test	Type	NPO (COG)	Conditions	NPO (COG)		
	C/C	$\leq 2\%$	Temperature	$+125^\circ\text{C}$		
	D , F	0.003	Time	$T = 100^{\text{th}}$		
	I , R	$R \times C \geq 25\text{s}$	Voltage	$V = 1.5\text{Vr}$		
	There shall be no					
6 grade failure test	Type	NPO (COG)	Conditions	NPO (COG)		
	C/C	$\leq 2\%$	Creditability	60%		
	D , F	0.003	Temperature	$+125^\circ\text{C}$		
	I , R	$R \times C \geq 25\text{s}$	Voltage	Rating Voltage		
	There shall be no evidence of damage during the test					
	Time					

## PACKAGING


## Structure and Dimension

## 1. TAPE &amp; REEL

A	B	C	D	E	F	G
$178 \pm 2.0$	3.0	$13 \pm 0.5$	32	50 MIN	$10.0 \pm$	14.9
				$\pm 1$	1.5	$12 \pm 2.0$




PAPER TAPE		PLASTIC TAPE (TE)			
SIZE	A	B	SIZE	A	B
0402	$0.6 \pm 0.2$	$1.1 \pm 0.2$	0402	$0.5 \pm 0.2$	$1.2 \pm 0.2$
0603	$1.1 \pm 0.2$	$1.4 \pm 0.2$	0603	$0.8 \pm 0.2$	$2.0 \pm 0.2$
0805	$1.45 \pm 0.2$	$2.3 \pm 0.2$	0805	$1.65 \pm 0.2$	$2.4 \pm 0.2$
1206	$1.8 \pm 0.2$	$3.4 \pm 0.2$	1206	$2.0 \pm 0.2$	$3.6 \pm 0.2$



## 2. CARTRIDGE

Symbol	A	B	T	C	D	E
Dimension	$6.8 \pm 0.1$	$8.8 \pm 0.1$	$12 \pm 0.1$	$1.5 \pm 0.1 - 0$	$2 \pm 0 - 0.1$	$4.7 \pm 0.1$
Symbol	F	W	G	H	L	I
Dimension	$31.5 \pm 0.2 - 0$	$36 + 0 - 0.2$	$19 \pm 0.35$	$7 \pm 0.35$	$110 \pm 0.7$	$5 \pm 0.35$



## PACKAGING QUANTITY

SIZE	QUANTITY			
	TP	TE	BC	BP
0402	10000		20000	2000
0603	4000	2500	15000	2000
0805	4000	2500	1000	2000
1206	4000	1000	5000	2000
1210				500
1812				500
2225				200
3035				200

## SIZE CODE CAPACITANCE AND VOLTAGE

SIZE CODE	DIMENSIONS				VOLTAGE	CAPACITANCE (PE) NPO (COG)
	L	W	T	ME		
0402	$1.0 \pm 0.07$	$0.5 \pm 0.05$	$0.5 \pm 0.05$	$0.1 \pm 0.05$	25V	0R5 ~ 151
					50V	0R5 ~ 101
0603	$1.6 \pm 0.1$	$0.8 \pm 0.10$	$0.8 \pm 0.1$	$0.3 \pm 0.1$	25V	0R5 ~ 102
					50V	0R5 ~ 561
					100V	0R5 ~ 331
					200V	
0805	$2.00 \pm 0.20$	$1.25 \pm 0.20$	$0.7 \pm 0.2$	$0.5 \pm 0.25$	25V	0R5 ~ 472
					50V	0R5 ~ 222
					100V	0R5 ~ 102
					200V	0R5 ~ 271
					500V	0R5 ~ 181
1206	$3.20 \pm 0.30$	$1.60 \pm 0.20$	$1.0 \pm 0.2$	$0.5 \pm 0.25$	25V	1R5 ~ 332
					50V	1R5 ~ 332
					100V	1R5 ~ 332
					200V	1R5 ~ 471
					500V	1R5 ~ 471
					1000V	1R5 ~ 271
					2000V	1R5 ~ 221
1210	$3.20 \pm 0.30$	$2.50 \pm 0.30$	$1.0 \pm 0.2$	$0.70 \pm 0.25$	25V	220 ~ 562
					50V	220 ~ 562
					100V	100 ~ 332
					200V	100 ~ 272
					500V	100 ~ 102
					1000V	100 ~ 471
					2000V	100 ~ 221
1812	$4.50 \pm 0.40$	$3.20 \pm 0.30$	2.5	$1.00 \pm 0.25$	25V	102 ~ 103
					50V	102 ~ 103
					100V	100 ~ 472
					200V	100 ~ 272
					500V	100 ~ 182
					1000V	100 ~ 152
					2000V	100 ~ 102
2225	$5.70 \pm 0.50$	$6.40 \pm 0.50$	2.5	$1.00 \pm 0.25$	25V	151 ~ 681
					50V	102 ~ 223
					100V	102 ~ 103
					200V	102 ~ 822
					500V	102 ~ 562
					1000V	102 ~ 332
					2000V	102 ~ 222
3035	$7.60 \pm 10.50$	$9.00 \pm 0.50$	3.0	$1.00 \pm 0.25$	25V	102 ~ 104
					50V	102 ~ 473
					100V	102 ~ 333
					200V	102 ~ 223
					500V	102 ~ 183
					1000V	102 ~ 822
					2000V	102 ~ 122