

Тип микросхемы	$U_{\text{вых}}^0$ B, \leq	$U_{\text{вых}}^1$ B, \geq	$I_{\text{вх}}^0$ mA, \leq	$I_{\text{вх}}^1$ mA, \leq	$I_{\text{пот}}$ mA, \leq	$t_{\text{з.д.р}}^{1.0}$ ns, \leq	$t_{\text{з.д.р}}^{0.1}$ ns, \leq	$P_{\text{пот}}$ mWt	$P_{\text{пот.ср.}}$ mWt	$I_{\text{пот}}^1$ mA, \leq	$I_{\text{пот}}^0$ mA, \leq	Примечание
133ЛН2	0.4	2.4	-1.6	0.04		15	22			12	33	
К155ЛН2	0.4	2.4	-1.6	0.04		15	22			12	33	
530ЛН2 М530ЛН2 Н530ЛН2 К531ЛН2П	0.5		-2	0.05		7	7.5			19.8	54	
533ЛН2	0.4	2.5	-0.4	0.02		28	32			2.4	6.6	Краз = 10
555ЛН2	0.5	2.7	-0.4	0.02		28	32		23.4	2.4	6.6	$U_{\text{вых}}^1 = 2.7V$ при $I_{\text{вых}}^1 = 100\mu A$
К555ЛН2 КМ555ЛН2	0.5	2.7	-0.36	0.02		28	32			2.4	6.6	
1533ЛН2	0.4	2.5	-0.2	0.02		29	59			1.1	3.8	
133ЛН3	0.4	2.4	-1.6	0.04		2.3	15			48	51	